1 2 STATE OF NEW YORK : COUNTY OF ORANGE TOWN OF NEWBURGH PLANNING BOARD 3 _ _ _ _ _ _ _ _ _ - - - - - - - - - - - - - X In the Matter of 4 5 WPA ACQUISITION CORP. 6 (2012 - 08)7 North Plank Road Section 75; Block 1; Lot 29.1 8 B Zone 9 10 CLEARING & GRADING PERMIT Date: June 7, 2012 11 Time: 7:00 p.m. Place: Town of Newburgh 12 Town Hall 1496 Route 300 13 Newburgh, NY 12550 14 15 BOARD MEMBERS: JOHN P. EWASUTYN, Chairman FRANK S. GALLI 16 CLIFFORD C. BROWNE THOMAS P. FOGARTY 17 JOHN A. WARD 18 ALSO PRESENT: MICHAEL H. DONNELLY, ESQ. BRYANT COCKS 19 PATRICK HINES GERALD CANFIELD 20 21 APPLICANT'S REPRESENTATIVE: DARREN DOCE 22 _ _ _ _ _ _ _ _ _ _ _ _ _ _ X MICHELLE L. CONERO 23 10 Westview Drive 24 Wallkill, New York 12589 (845)895-3018 25

1	WPA ACQUISITION CORP. 2
2	MR. BROWNE: Good evening. Welcome to
3	the June 7, 2012 Planning Board meeting of
4	Newburgh, New York. I'll call the meeting to
5	order with a roll call vote starting with Frank
6	Galli.
7	MR. GALLI: Present.
8	MR. BROWNE: Present.
9	CHAIRMAN EWASUTYN: Present.
10	MR. FOGARTY: Here.
11	MR. WARD: Present.
12	MR. BROWNE: We use our professional
13	experts to help us with decisions that we need to
14	make during the process of the evening. I'd ask
15	them to introduce themselves now.
16	MR. DONNELLY: Michael Donnelly,
17	Planning Board Attorney.
18	MS. CONERO: Michelle Conero,
19	Stenographer.
20	MR. CANFIELD: Jerry Canfield, Town of
21	Newburgh.
22	MR. HINES: Pat Hines with McGoey,
23	Hauser & Edsall Consulting Engineers.
24	MR. COCKS: Bryant Cocks, Planning
25	Consultant.

WPA ACOUISITION CORP. 1 2 MR. BROWNE: Thank you. At this time 3 I'll turn the meeting over to John Ward. MR. WARD: Please stand to say the 4 5 Pledge. (Pledge of Allegiance.) 6 7 MR. WARD: If you have any cell phones, please turn them on vibrate or off. 8 9 MR. BROWNE: Thank you. The first item 10 of business this evening is WPA Acquisition 11 Corporation, clearing & grading permit. This is 12 being presented by Darren Doce of Doce Associates. 13 14 MR. DOCE: Good evening. I'm Darren 15 Doce appearing for WPA on a clearing and grading 16 permit located on North Plank Road, opposite 17 Chestnut Lane. WPA had a few -- two interested buyers in this site but it didn't get past the 18 due diligence phase because both buyers would 19 have liked to have seen a site that was more 20 21 reasonably graded. So therefore WPA has decided 22 to go in and grade and clean up the site, try to 23 make it more attractive for potential buyers. 24 He's going to remove the rock in 25 approximately a four-acre section of the site

MICHELLE L. CONERO - (845)895-3018

1 WPA ACQUISITION CORP.

25

2 towards the rear. He's also removing two stone stockpiles of rock in these two areas. 3 That's basically what he's trying to 4 5 do. 6 CHAIRMAN EWASUTYN: Darren, have you had the opportunity to read Pat Hines' --7 MR. DOCE: Right. 8 9 CHAIRMAN EWASUTYN: -- comments? 10 What's your --11 MR. DOCE: The first comment, which is 12 the major comment, we've contacted the DEC and 13 we've dropped off a plan up there. We haven't 14 met with them yet. We're going to try to 15 persuade them that he's excavating in aid of 16 future development and we're not, in essence, really mining it. If we can't persuade them of 17 that, then we proceed with a mining permit or 18 come back with a site plan. 19 CHAIRMAN EWASUTYN: I don't know who 20 21 wants to begin discussing the -- there's no 22 definition in our code as far as mining goes. I 23 don't know who wants to elaborate. 24 MR. DONNELLY: Pat will give you the

MICHELLE L. CONERO - (845)895-3018

details. The big picture is this: If you need a

1

WPA ACQUISITION CORP.

2 mining permit, you've got to go to the DEC to get the mining permit. The way the State Mined Land 3 Reclamation Law works, if mining is a permitted 4 operation, the DEC has exclusive jurisdiction 5 except for the four factors the local 6 7 municipality has, truck, noise, dust, something of that nature. However, the local municipality 8 9 is allowed to, strangely, prohibit mining. The 10 Town of Newburgh code does not allow mining and 11 has that provision that says whatever isn't 12 allowed is prohibited. Now, I don't know, when 13 push comes to shove, where that's going to go for 14 you. That might require you to either ask the 15 Town Board to rezone or get a use variance. 16 There's more to it than just getting the mining 17 permit. If you had an actual site plan, then 18 maybe, depending upon the quantity, and I'll let Pat comment on that, it might be something that 19 20 could be done in conjunction with the site plan. 21 Just doing this level of material removal, you're 22 not -- clearing and grading permits are for 23 redistributing on the site. You're actually 24 taking large amounts of material out.

25

MR. DOCE: I saw that comment, too. I

MICHELLE L. CONERO - (845)895-3018

1 WPA ACQUISITION CORP.

2 read that. I don't see where it had to remain on 3 site.

4 MR. DONNELLY: I'll turn that part 5 over.

6 MR. HINES: The clearing and grading 7 doesn't mean it has to remain on site, but once 8 you take the DEC mining threshold of 750 cubic 9 yards or 1,000 tons, that's when it's clearly a 10 mine.

11MR. DOCE: Unless it's in preparation12or to aid in construction. Correct?

MR. HINES: Yeah. But DEC's policy, my understanding of that is you have to walk in there with a building permit.

MR. DOCE: Or a site plan of some sort. 16 MR. HINES: Yeah. They're not going to 17 18 -- it's been my -- for sites that do that, they usually want to see a building permit. There's 19 20 been a lot of people who have come in for a site 21 plan, for lack of a better term, a doghouse, and 22 try to take the 100,000 yards of material off the 23 site. They're kind of on with that. They're not 24 really allowing that. If they really intend to, 25 they have to have a site plan and have approval,

MICHELLE L. CONERO - (845)895-3018

1

and I have seen them go as far as asking for a
building permit for that waiver.
MR. DOCE: I mean WPA/Gus has said in

MR. DOCE: I mean WPA/Gus has said in the past they let him go ahead on the basis that he was preparing the site. We'll see when we meet with them.

8 MR. HINES: I believe that was because 9 he had site plan approval in the past when he 10 started that work. That's lapsed. And also that 11 current grading plan doesn't correspond to the 12 previous approved site plan which had a more 13 terraced design on the site.

MR. DOCE: Even if we get a mining permit, you're saying we can't do it. We were facing that out in Montgomery. They tried to zone out a mine and it went to court for years. They finally made a floating mine zone in Montgomery.

20CHAIRMAN EWASUTYN: Where was the21actual site then?

22 MR. DOCE: That's Mayline. I don't 23 know if you know Kings Hill Road. So we finally 24 got that approved but it took a court case 25 really.

MICHELLE L. CONERO - (845)895-3018

2 CHAIRMAN EWASUTYN: Mike, you were3 starting to say something.

MR. DONNELLY: It's hard to reconcile. 4 5 The purpose of the State Mined Land Reclaimation 6 Law was to encourage and promote New York State's 7 mining industry and prohibit local municipalities from unduly interfering with the actual mining 8 9 operation, and the DEC therefore pre-empted it. 10 This issue is coming back again with fracking, 11 and it's really the same thing. There's a 12 provision of the law that was worded in such a 13 way that when the case went up to the Court of 14 Appeals, the Court of Appeals said yes, you're 15 correct, that mining can't be regulated by a 16 municipality, but the language is such that it can be prohibited by a municipality. Once it is 17 prohibited, then the DEC can't issue its permit. 18 The argument of our code, and I don't think the 19 20 Planning Board is pushing it but I must advise 21 you, is that mining is not allowed in any zone 22 anywhere in the Town. Whatever is not allowed is 23 prohibited, therefore mining is prohibited in the 24 Town of Newburgh, therefore the DEC can't issue a 25 mining permit.

2	I think it might be something you might
3	want to discuss with the Town Board. I'm not
4	sure that that was an intentional policy and they
5	may want to allow mining somewhere. I don't
6	know. You'd have to discuss that with them.
7	MR. HINES: I just want to jump in
8	here. The DEC will issue a mining permit. It
9	will be conditioned on receiving all local
10	approvals required, and then you're in a catch 22
11	where you have a local prohibition against it.
12	CHAIRMAN EWASUTYN: Any additional
13	comments from anyone?
14	(No response.)
15	CHAIRMAN EWASUTYN: Jerry, do you have
16	anything to add at this point?
17	MR. CANFIELD: Nothing.
18	CHAIRMAN EWASUTYN: So we'll wait to
19	hear back from you as far as your course of
20	action?
21	MR. DOCE: Yeah. After we talk to the
22	DEC. If this is really a mine, then, yeah, we'll
23	either come back with a site plan or proceed.
24	MR. HINES: We generally would like to
25	see the site move forward and get cleaned up.

WPA ACOUISITION CORP. 1 10 MR. DOCE: Right. Right. That's what 2 3 he's trying to do. MR. HINES: It's looked like a mine for 4 5 fifteen years now, so --MR. DOCE: Yes, it has. 6 7 (Time noted: 7:08 p.m.) 8 9 10 CER<u>TIFICATION</u> 11 12 I, Michelle Conero, a Shorthand Reporter and Notary Public within and for 13 the State of New York, do hereby certify 14 15 that I recorded stenographically the proceedings herein at the time and place 16 17 noted in the heading hereof, and that the foregoing is an accurate and complete 18 19 transcript of same to the best of my 20 knowledge and belief. 21 22 23 24 DATED: July 6, 2012 25

1 2 STATE OF NEW YORK : COUNTY OF ORANGE TOWN OF NEWBURGH PLANNING BOARD 3 _ _ _ _ _ _ _ _ _ - - - - - - - - - - - - X In the Matter of 4 5 NYC DEP DELAWARE AQUEDUCT REPAIR 6 (2011 - 15)7 Roundout-West Branch Tunnel Section 8; Block 1; Lot 15.2 8 B/AR Zones 9 - - - - - - - - - - - - - - X 10 SITE PLAN FEIS SUBMISSION 11 Date: June 7, 2012 12 Time: 7:08 p.m. Place: Town of Newburgh 13 Town Hall 1496 Route 300 14 Newburgh, NY 12550 15 BOARD MEMBERS: JOHN P. EWASUTYN, Chairman 16 FRANK S. GALLI CLIFFORD C. BROWNE THOMAS P. FOGARTY 17 JOHN A. WARD 18 ALSO PRESENT: MICHAEL H. DONNELLY, ESQ. 19 BRYANT COCKS PATRICK HINES 20 GERALD CANFIELD 21 APPLICANT'S REPRESENTATIVE: CHRISTOPHER VILLARI 22 - - - - - - - - - - - X 23 MICHELLE L. CONERO 24 10 Westview Drive Wallkill, New York 12589 25 (845)895-3018

NYC DEP DELAWARE AQUEDUCT REPAIR 1 2 MR. BROWNE: The next item of 3 business is the New York City DEP Delaware Aqueduct Repair, project number 2011-15. 4 5 MR. VILLARI: Good evening. I'm Chris Villari, I'm the Outreach Lead for the Water for 6 7 the Future program. First, as always, for the benefit of 8 9 the Stenographer and Members of the Board and 10 staff, I have a list of all the attendees we have 11 here this evening for the discussion. 12 Just as a follow up to the consultant 13 meeting we had recently, two items came out of 14 that. We were going to draft and present to the 15 Planning Board a draft Findings Statement for 16 your review, which is being drafted and 17 circulated internally. The draft intergovernmental agreement for some of the items 18 that we need relief on is also being drafted and 19 circulated internally, and we'll have both of 20 21 those in the next week or so I would say. 22 I'd also like to acknowledge and thank 23 the Planning Board Chair for his assistance in 24 getting comments back from Karen Arent and Ken 25 Wersted, since they're not here this evening.

MICHELLE L. CONERO - (845)895-3018

NYC DEP DELAWARE AQUEDUCT REPAIR 1 2 So we aren't really exactly sure how to present this evening. I think everyone here kind 3 of knows this project forwards and backwards. We 4 did come prepared to talk about or discuss and 5 review the project, and the construction, and the 6 7 site plans that are associated with them. If you would like, we can go through that. 8 9 CHAIRMAN EWASUTYN: I'll ask the Board. 10 MR. DONNELLY: We were hoping for a 11 PowerPoint. 12 CHAIRMAN EWASUTYN: Let's talk about 13 the F.E.I.S., the Findings Statement. When do you think that will be circulated? 14 15 MS. FARMWALD: Hi. Jennifer Farmwald. 16 We have drafted the Findings Statement. It is currently being circulated internally. I'm 17 hesitant to give a specific date. We would 18 hopefully like something by the end of next week, 19 however we haven't received all the comments 20 21 back. It's possible we could have significant 22 comments from other, you know, internal members 23 and that might change. But our goal is next 24 week. 25 CHAIRMAN EWASUTYN: When do you plan on

MICHELLE L. CONERO - (845)895-3018

NYC DEP DELAWARE AQUEDUCT REPAIR 1 2 -- then we can still go back to your original question. When do you plan on coming back before 3 this Board based upon your scheduling? 4 5 MR. VILLARI: Well, I guess maybe to 6 kind of throw it back at the Board, should we 7 come after the Board's Findings Statement has been drafted? 8 9 MR. DONNELLY: That skips ahead. Our hope is that we won't have to issue our own 10 11 Findings Statement, that your Findings Statement 12 will cover all of the issues. That's why I 13 suggested, if possible, I can't dictate how the DEP wants to do anything, if we could see a draft 14 15 of it and if we had some additional language or a tweak here or there, then we wouldn't have to 16 issue our own Findings Statement. If we did, we 17 18 would need that additional period of time to prepare it, but I don't think that's particularly 19 20 lengthy. Beyond that, I think you'll hear from 21 the consultant team that the site plan is pretty 22 much ready for action by the Board. Once the 23 Findings are issued, I need to prepare the 24 resolution which will tie into the Findings Statement or Statements, however that comes 25

MICHELLE L. CONERO - (845)895-3018

1 NYC DEP DELAWARE AQUEDUCT REPAIR

2 about. So I don't think we need a lot of time, but the sooner we get the Findings, the sooner we 3 can get to work on the resolution and we can get 4 5 this back on the agenda. MR. VILLARI: Also for a little bit of 6 7 clarification, I expect that there will be, as a result of the intergovernmental agreement, that 8 within the resolution will be some conditions 9 10 that refer to the intergovernmental agreement. 11 Is it necessary to have the draft of the 12 intergovernmental agreement in hand before that? MR. DONNELLY: No. I think it's 13 14 helpful for us to know the issues that will be 15 covered by it, and we will include a condition in 16 our resolution that says that the approval is not 17 final until the intergovernmental agreement 18 satisfactory to the Town Board covering the following issues has been executed. 19 20 MR. VILLARI: Okay. So then should we 21 go ahead and pencil in the next Planning Board 22 meeting?

23 CHAIRMAN EWASUTYN: Jennifer, are you24 comfortable with that?

25 MS. FARMWALD: I need to speak

1	NYC DEP DELAWARE AQUEDUCT REPAIR 16
2	
	internally and find out. Obviously before we
3	share with you, we want to be comfortable
4	internally. I don't know there's a lot of
5	people that need to review it. I'm hesitant to
6	commit. It's two weeks; right? How much time
7	would you like to review the Findings before
8	you
9	MR. DONNELLY: It depends upon what I'm
10	doing the day I get it. It's not something a
11	week is plenty of time, I'm sure.
12	MS. FARMWALD: So I think two weeks
13	might be a little ambitious, to be honest.
14	MR. VILLARI: Maybe the first Planning
15	Board meeting in July?
16	CHAIRMAN EWASUTYN: Okay.
17	MR. HINES: If we can get them as soon
18	as possible, that way we can put everything we
19	want in there and then we're only doing it once
20	instead of two sets.
21	MR. VILLARI: Okay. We did receive
22	some comments from Karen on the landscaping which
23	we have. We recognize some of the issues that
24	she brought up and we're ready to make changes to
25	reflect some of those. I think there were only

1

NYC DEP DELAWARE AQUEDUCT REPAIR

2 one or two.

MR. SIMMONS: There were a couple 3 issues that we recognize to the invasive species 4 5 control. We'll beef up the language in our specs and on the site plan to make certain that the 6 7 contractor is controlling invasive species in addition to just the normal clearing and grading. 8 So getting rid of the species that are there, 9 10 using native species and maintaining and 11 protecting the plants as necessary, as well as 12 making certain that the landscaping guarantee is 13 in place. And though we don't have the same 14 exact language that Karen suggested, we'll look 15 to beef up our language a little bit. The intent 16 is the same, we have a two-year landscape 17 guarantee to make sure that the plants survive.

The other issue is deer browsing. She 18 19 brought that up as well. We have language in our 20 specs about protection of plants. We'll actually 21 put the words deer and browsing in there so that 22 the -- that the contractor knows that that is an 23 issue, and we'll have them present a plan to us 24 to make certain that they can protect against 25 deer browsing and common issues like local deer

MICHELLE L. CONERO - (845)895-3018

1

NYC DEP DELAWARE AQUEDUCT REPAIR

fences, et cetera, also again protecting the plants when they mature and to resist the deer. So we recognize her issues and the things we need to take care of to make certain our site plan and landscaping matches what's in our landscaping plan.

8 MR. VILLARI: And I think the main 9 comment that Ken made is if for some reason the 10 truck route were to be altered, that we make sure 11 once it's finalized we present that to the Board. 12 That's all I have to say.

MR. DONNELLY: We talked earlier about 13 14 the substantial change from the assumptions in 15 terms of where the trucks would leave the site. 16 The way the FEIS or in the cover letter, I forget which, discussed it is if there's a significant 17 18 change that would trigger the need to do something, something as little as a new traffic 19 20 study, it could be as much as an FEIS, the 21 thought was rather than say significant, that we 22 say if it varies by more than a certain 23 percentage from those projections, some things might need to be done. The suggestion we talked 24 25 about was a five-percent number. If that's

NYC DEP DELAWARE AQUEDUCT REPAIR 1 19 2 doable and acceptable to you, then I suggest that's something that perhaps should go in the 3 Findings Statement. 4 5 MR. VILLARI: Would it be okay that as we determine that threshold, that we communicate 6 7 directly with Mike to see if that's acceptable? CHAIRMAN EWASUTYN: Mike and Ken 8 9 Wersted. I think Mike would depend on Ken. 10 MR. DONNELLY: I made up a number. I 11 don't decide whether it's acceptable. Ken would 12 make a recommendation. MR. VILLARI: With your permission I'd 13 14 like to. 15 MR. GALLI: Sure. 16 CHAIRMAN EWASUTYN: Between Mike and 17 our Traffic Consultant. MR. VILLARI: Excellent. I think 18 that's all we were going to cover this evening. 19 20 Is there anything else? CHAIRMAN EWASUTYN: Just an overview. 21 22 When you mention the contractor will be 23 responsible, just for the Board, who do you mean 24 by the contractor? Do you mean the prime 25 contractor? Do you mean the subcontractor?

1 NYC DEP DELAWARE AQUEDUCT REPAIR

2 Because the contractor is the governing body. Who is that governing body? Is it the -- who is 3 the contractor? Realizing you haven't chosen a 4 5 contractor, but when you identify the responsible 6 party and label that party as being the contractor, can you define for all of us who this 7 Is that one of the qualified bidders who is 8 is? 9 awarded the bid and he is the main person 10 responsible for doing the due diligence? 11

11MR. SIMMONS: In conjunction with the12construction manager.

13Ted, you may have the best grasp of all14that.

15 MR. DOWEY: We have a contract with the 16 primes and we generally communicate with the prime contractor. If we have issues with our 17 18 subcontractors, we also communicate with the 19 prime contractors. We do have five qualified 20 groups. They may be structured differently. One 21 of them does the site work and may be interested 22 in doing some of the landscaping and the other 23 they sub out the landscaping. Generally 24 speaking, we're going to have an integrated 25 construction management team. We'll be literally

1	NYC DEP DELAWARE AQUEDUCT REPAIR 21
2	in adjacent offices on the site and we would
3	contact the prime contractor if there were any
4	deficiencies to correct whatever needs to be
5	done.
6	CHAIRMAN EWASUTYN: If I understand
7	what you're saying, your agency will have a
8	trailer on site and you would be someone from
9	your agency or a group of people will be there
10	throughout the buildout of the site?
11	MR. DOWEY: Yes.
12	MR. GALLI: So if there was an issue
13	with the landscaping, they would contact you and
14	then you would contact the contractor?
15	MR. DOWEY: Yes. Yes. Yup.
16	MR. GALLI: Then you would handle it on
17	your end?
18	MR. DOWEY: Yes.
19	MR. GALLI: We wouldn't have to track
20	down different contractors?
21	MR. DOWEY: No. We're going to have a
22	point of contact, whether it's Chris or the
23	resident engineer. Whoever it is, we'll take
24	care of it from that point.
25	CHAIRMAN EWASUTYN: Is that something

NYC DEP DELAWARE AQUEDUCT REPAIR 1 22 2 that's identified in the Findings Statement? MR. DONNELLY: No. It would be 3 helpful. Certainly we've asked for that for 4 5 shopping centers with multiple stores, that it be a single agency and contact point. 6 7 MS. FARMWALD: I think we have that in there. 8 9 MR. DONNELLY: Okay. That would be 10 good. 11 CHAIRMAN EWASUTYN: That helps out. 12 Like we were saying, it helps us understand that. Jerry is wondering if he had to get a 13 14 mobile home to be parked along the road for the 15 next seven years. 16 MR. GALLI: Four. 17 MR. CANFIELD: Actually three. CHAIRMAN EWASUTYN: He's going to 18 retire in three years? 19 20 MR. CANFIELD: That's what I'm 21 planning. 22 CHAIRMAN EWASUTYN: If you find the 23 need, and that's only if you do, and you feel you 24 want to add anything at a consultants' meeting towards the end of this month, just let us know 25

1	NYC DEP DELAWARE AQUEDUCT REPAIR 23
2	between now and our next meeting and we'll move
3	either that or we'll move now to set it up for
4	a consultants' work session the last meeting of
5	the month. If you decide to cancel that, then
6	you could cancel that and I'll give you the
7	option if there's anything in the Findings
8	Statement that you do want to get everyone
9	together on.
10	Bryant, what would be that date? If
11	everything is in place.
12	MR. DONNELLY: I have it for the 26th.
13	MR. COCKS: That sounds right.
14	CHAIRMAN EWASUTYN: I'd move for a
15	motion to set the DEP for a consultants' work
16	session for the 26th of June with the
17	understanding that if it we receive a letter,
18	that would be cancelling it.
19	MR. GALLI: So moved.
20	MR. FOGARTY: Second.
21	CHAIRMAN EWASUTYN: I have a motion by
22	Frank Galli. I have a second by Tom Fogarty.
23	I'll ask for a roll call vote starting with Frank
24	Galli.
25	MR. GALLI: Aye.

1	NYC DEP DELAWARE AQUEDUCT REPAIR 24
2	MR. BROWNE: Aye.
3	MR. FOGARTY: Aye.
4	MR. WARD: Aye.
5	CHAIRMAN EWASUTYN: And myself. So
6	carried.
7	MR. WARD: Ted, I've got a question for
8	you. Just asking. Like when you get all these
9	contractors working up there, even though you're
10	on site do you have anything set up, like when I
11	worked at Yankee Stadium, Turner, you had to take
12	a safety course and everything else to make sure
13	they know the process. I'm just asking how. Do
14	you have something like that?
15	MR. DOWEY: Absolutely. Absolutely.
16	MR. WARD: I figured you did.
17	MR. DOWEY: As part of our construction
18	management first of all, the contractor has to
19	follow the DEP SOPs in addition to all the
20	Federal, Local, State laws. We have a very
21	strong safety program and the construction
22	manager will be very active in promoting our
23	safety program. So whether it's toolbox
24	meetings, or job hazard analysis, or emergency
25	action plans, or whatever it may be, we have a

NYC DEP DELAWARE AQUEDUCT REPAIR 1 25 very robust safety program. That will be enacted 2 through the construction manager. 3 MR. WARD: I figured but I had to ask 4 5 it. Thank you. MR. DOWEY: Sure. 6 7 CHAIRMAN EWASUTYN: Okay. Thanks ever 8 so much. 9 MR. HINES: We received a response to 10 the SWPPP comments that we had given and it looks 11 like they've been addressed satisfactorily. We 12 haven't issued a memo yet but that will be 13 forthcoming. 14 MR. VILLARI: Great. Thanks. 15 MR. BROWNE: Thank you. 16 MR. FOGARTY: Thank you. 17 CHAIRMAN EWASUTYN: I'll move for a motion. 18 19 MR. GALLI: So moved. 20 MR. WARD: Second. 21 CHAIRMAN EWASUTYN: I have a motion by 22 Frank Galli. I have a second by John Ward. I'll 23 ask for a roll call vote starting with Frank Galli. 24 25 MR. GALLI: Aye.

1	NYC DEP DELAWARE AQUEDUCT REPAIR
2	MR. BROWNE: Aye.
3	MR. FOGARTY: Aye.
4	MR. WARD: Aye.
5	CHAIRMAN EWASUTYN: Aye.
6	
7	(Time noted: 7:23 p.m.)
8	
9	<u>CERTIFICATION</u>
10	
11	I, Michelle Conero, a Shorthand
12	Reporter and Notary Public within and for
13	the State of New York, do hereby certify
14	that I recorded stenographically the
15	proceedings herein at the time and place
16	noted in the heading hereof, and that the
17	foregoing is an accurate and complete
18	transcript of same to the best of my
19	knowledge and belief.
20	
21	
22	
23	
24	DATED: July 6, 2012
25	